

To: [5.1.2e] [5.1.2e@gmail.com]; [5.1.2e] [5.1.2e@rivm.nl]
From: 5. 5.1.2e
Sent: Fri 9/11/2020 1:57:09 PM
Subject: RE: FW: [5.1.2a] Testing
Received: Fri 9/11/2020 1:57:09 PM

Let us know what you think
 I'll talk to [5.1.2e] to tell her your plan

When you've written your latest version, please send it to [5.1.2e] en us!

Van: [5.1.2e] <[5.1.2e@gmail.com]>
Verzonden: vrijdag 11 september 2020 15:53
Aan: [5. 5.1.2e] <[5.1.2e@rivm.nl]>; [5.1.2e] <[5.1.2e@rivm.nl]>
Onderwerp: Fwd: FW: St Maarten Testing

FYI het AMI voorstel

----- Forwarded message -----

From: [5.1.2e] <[5.1.2e@5.1.2a]>
Date: Fri, Sep 11, 2020, 9:43 AM
Subject: FW: St Maarten Testing
To: [5.1.2e] <[5.1.2e@sls.sx]>, [5.1.2e] <[5.1.2e@sls.sx]>

Hi [5.1.2e]

VWS is looking into the attached proposal for supporting COVID-19 testing. I don't want to agree to something that goes contrary to your testing or without your support. Can you have a look at this document and let me know if this is something we can work on collectively? Please do not share this broadly as I have not discussed this with the Minister as yet.

Regards,

[5.1.2e]

-----Original Message-----

From: [5.1.2e] <[5.1.2e@minvws.nl]>
Sent: Thursday, September 10, 2020 5:11 AM
To: [5. 5.1.2e] <[5.1.2e@rivm.nl]>; [5.1.2e] <[5.1.2e@rivm.nl]>; [5.1.2e] <[5.1.2e@sintmaartengov.org]>; [5.1.2e] <[5.1.2e@sintmaartengov.org]>
Cc: [5.1.2e] <[5.1.2e@minvws.nl]>
Subject: FW: [5.1.2a] Testing
Importance: High

Beste collega's,

Bijgaand het voorstel van AMI. Ik heb al gevraagd wanneer dit up and running zou kunnen zijn. Daar heb ik nog geen antwoord op.

Ik heb een aantal vragen voor jullie:

@ RIVM: Is deze PCR methodiek conform onze normen? Kan deze voorziening ook testen in behandeling nemen voor Statia en Saba als de capaciteit daar tekort schiet.

@ [5.1.2e] kan dit opereren binnen SLS.

Graag vandaag een reactie. Als we een VC moeten plannen hoor ik het graag.

Groet,

[5.1.2e]

Verzonden met BlackBerry Work
(www.blackberry.com)

Van: [REDACTED] <[REDACTED]@ami.health<[REDACTED]@ami.health>>
Datum: woensdag 09 sep. 2020 11:25 PM
Aan: [REDACTED] <[REDACTED]@minvws.nl> <[REDACTED]@minvws.nl>>, [REDACTED] <[REDACTED]@minvws.nl> <[REDACTED]@minvws.nl>>
Onderwerp: [REDACTED] Testing

It actually helps if I attach the proposal. My apologies.

Best Regards,

[REDACTED]

[REDACTED]

[REDACTED] <[REDACTED]@01D686CE.309AE1D0><<http://www.ami.health/>> للخدمات الطبية

11150 Sunset Hills Road
Suite 307
Reston, VA 20191
Mobile +1 [REDACTED]
Office +1 [REDACTED]

Visit us online at [ami.health](http://www.ami.health/)<<http://www.ami.health/>>

[REDACTED] <[REDACTED]@01D686CE.309AE1D0><<https://www.linkedin.com/company/amiexpeditionaryhealthcare>>
[REDACTED] <[REDACTED]@01D686CE.309AE1D0> <<https://twitter.com/amiexphealth>> [REDACTED] <[REDACTED]@01D686CE.309AE1D0>
<<https://www.facebook.com/amiexpeditionaryhealthcare>>

This email message is intended only for the addressee and may contain information which is confidential. If you are not the intended recipient please advise the sender by return email, do not use or disclose the contents, and delete the message and any attachments from your system.

Please consider the environment before printing this email.

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.