

**To:** [REDACTED] [REDACTED]@minvws.nl]; [REDACTED] [REDACTED]@minvws.nl]  
**From:** [REDACTED]  
**Sent:** Mon 9/14/2020 7:49:58 PM  
**Subject:** Fwd: Lysis buffer levering asap  
**Received:** Mon 9/14/2020 7:50:07 PM

Sent from my iPhone

Begin forwarded message:

**From:** "[REDACTED] [REDACTED]" <[REDACTED] [REDACTED]>  
**Date:** 14 September 2020 at 21:49:24 CEST  
**To:** [REDACTED] [REDACTED]@roche.com>  
**Subject:** Fwd: Lysis buffer levering asap

[REDACTED]  
 Zoals vandaag besproken: graag je urgente aandacht om EF lysis buffer te leveren: ze hebben veel nodig want ze hebben enorm opgeschaald (testen die NL echt nodig heeft). Graag zsm want ze hebben nu nog maar drie dagen voorraad....  
 Dank

[REDACTED]

Sent from my iPhone

Begin forwarded message:

**From:** "[REDACTED] [REDACTED] [REDACTED])" <[REDACTED] [REDACTED]@minvws.nl>  
**Date:** 14 September 2020 at 21:33:38 CEST  
**To:** "[REDACTED] [REDACTED] [REDACTED]@roche.com>, [REDACTED] [REDACTED])"  
 <[REDACTED] [REDACTED]@minvws.nl>  
**Cc:** [REDACTED] [REDACTED] [REDACTED]@roche.com>, [REDACTED] [REDACTED] [REDACTED]@roche.com>,  
 "[REDACTED] [REDACTED] [REDACTED]" <[REDACTED] [REDACTED]>  
**Subject:** RE: Lysis buffer levering asap

[REDACTED]  
 [REDACTED] [REDACTED] [REDACTED]

Beste [REDACTED]

De opschalingsmogelijkheid voor Eurofins is voor Nederland zeer urgent. Deze, volgende week en de weken daarna is dat voor ons de allerbelangrijkste manier op om korte termijn weer aan de testvraag te kunnen voldoen, wat momenteel zoals u bekend niet lukt.

Wij dringen dan ook aan op ruime levering aan Eurofins deze en volgende week en ook daarna.

Wij willen daarnaast graag op korte termijn in gesprek over de snelle start van productie van de lysis buffer in Nederland.

Mvg

[REDACTED] [REDACTED]

[REDACTED]

5.1.2e

5.1.2e @minvws.nl

+31 6 5.1.2e

5.1.2e

5.1.2e

5.1.2e

5.1.2e

5.1

5.1.2e

5.1.2e

5.1.2e

5.1.2e

5.1.2e

5.1.2e

5.1.2e  
Lubber

5.1.2e

5.1.2e

5.1.2e

3 - 4

Dubbel

Dubbel