

To: [redacted] [redacted] [redacted]@lchulpmiddelen.nl]; [redacted] [redacted]@radboudumc.nl"; [redacted] [redacted]@radboudumc.nl]
From: [redacted] [redacted] [redacted]
Sent: Sat 8/29/2020 9:01:30 AM
Subject: FW: Fwd: COVID-19 rapid antigen test BinaxNOW URGENT question
Received: Sat 8/29/2020 9:01:30 AM
[Recomendation Develop a Protocol for In Country Evaluation Panbio™ COVID-19 Ag test 1.1.pdf](#)

Relevant! Graag even reactie hoe jullie hiermee willen omgaan

Verzonden met BlackBerry Work
 (www.blackberry.com)

Van: [redacted] [redacted] [redacted]@umcutrecht.nl>
Datum: vrijdag 28 aug. 2020 3:22 PM
Aan: [redacted] [redacted] [redacted] [redacted]@minvws.nl>, [redacted] [redacted] [redacted] [redacted]@minvws.nl>
Onderwerp: Fwd: COVID-19 rapid antigen test BinaxNOW URGENT question

Hartelijke groet,

[redacted]

Begin forwarded message:

From: "[redacted] [redacted]" <[redacted] [redacted]@umcutrecht.nl>
Subject: FW: COVID-19 rapid antigen test BinaxNOW URGENT question
Date: 28 August 2020 at 15:04:47 CEST
To: "[redacted] [redacted]" <[redacted] [redacted]@umcutrecht.nl>

Aanvullende relevante info Abbott

Gr

[redacted]

Van: [redacted] [redacted] [redacted] [redacted]@abbott.com>
Verzonden: vrijdag 28 augustus 2020 14:59
Aan: [redacted] [redacted]
CC: [redacted] [redacted] [redacted] [redacted]
Onderwerp: RE: COVID-19 rapid antigen test BinaxNOW URGENT question

Dear [redacted] [redacted],

It was a pleasure to be in touch with you today.

To summarize our conversation and in addition to the docs that you received, you could see bellow key points regarding our Panbio Rapid tests :

- The product is CE marked, and it is available now. For Europe, we will have [redacted] tests available next week, and should receive more to respond to a very high demand.
- Worldwide pricing : We want to propose an accurate, safe and easy to use rapid test, we'll sell it for just [redacted] a test so around [redacted]
- Sample : Nasopharyngeal swabs

- Performance : The test provide very good performance for symptomatic patient between 0 and 7 days.
- Storage : room temperature
- Buffer component : Tricine, Sodium Chloride, Tween 20, Sodium Azide (<0,1%), Prodin 300 (You could find this in information in the Package insert)
- Evaluation : Attached, our recommendations to evaluate the product. If you want to evaluate locally the product, I need to receive a letter signed from government with quantities requested. I supposed that It will be easy to manage next week.

Please, feel free to ask me any questions.

Best regards



5.1.2e	Abbott Rapid Diagnostics SAS	Mobile :	5.1.2e
5.1.2e	Parc Burospace	Bureau :	5.1.2e
France & Benelux	Route de Gisy, Bât 6		
	91570 Bièvres, France		5.1.2e @abbott.com

This communication may contain information that is proprietary, confidential, or exempt from disclosure. If you are not the intended recipient, please note that any other dissemination, distribution, use or copying of this communication is strictly prohibited. Anyone who receives this message in error should notify the sender immediately by telephone or by return e-mail and delete it from his or her computer.

De : 5.1.2e <5.1.2e@abbott.com>
 Envoyé : vendredi 28 août 2020 13:38
 À : 5.1.2e <5.1.2e@umcutrecht.nl>
 Cc : 5.1.2e <5.1.2e@abbott.com>; 5.1.2e <5.1.2e@abbott.com>
 Objet : FW: COVID-19 rapid antigen test BinaxNOW URGENT question

Hi 5.1.2e

Attached, some documentation regarding our Rapid test for Panbio Ag Covid Testing.

This test is very similar to the Binax product. Binax will be only available for US, Panbio for OUS.

The test is CE marked and could be available for Netherlands.

My colleague 5.1.2e Nivet will give you a call as well.

Regards

5.1.2e



5.1.2e Abbott O: + 5.1.2e
Abbott Molecular Avenue Einstein 14 M: + 5.1.2e
5.1.2e 1300 Wavre 5.1.2e [@abbott.com](mailto:5.1.2e@abbott.com)
Belgium

This communication may contain information that is proprietary, confidential, or exempt from disclosure. If you are not the intended recipient, please note that any other dissemination, distribution, use or copying of this communication is strictly prohibited. Anyone who receives this message in error should notify the sender immediately by telephone or by return e-mail and delete it from his or her computer.

De informatie opgenomen in dit bericht kan vertrouwelijk zijn en is uitsluitend bestemd voor de geadresseerde. Indien u dit bericht onterecht ontvangt, wordt u verzocht de inhoud niet te gebruiken en de afzender direct te informeren door het bericht te retourneren. Het Universitair Medisch Centrum Utrecht is een publiekrechtelijke rechtspersoon in de zin van de W.H.V. (Wet Hoger Onderwijs en Wetenschappelijk Onderzoek) en staat geregistreerd bij de Kamer van Koophandel voor Midden-Nederland onder nr. 30244197.

Denk s.v.p aan het milieu voor u deze e-mail afdrukt.

This message may contain confidential information and is intended exclusively for the addressee. If you receive this message unintentionally, please do not use the contents but notify the sender immediately by return e-mail. University Medical Center Utrecht is a legal person by public law and is registered at the Chamber of Commerce for Midden-Nederland under no. 30244197.

Please consider the environment before printing this e-mail.