

To: [redacted] [redacted] [redacted] [redacted]@igj.nl
Cc: [redacted] [redacted] [redacted]@rivm.nl
From: [redacted] [redacted]
Sent: Thur 1/14/2021 9:56:55 PM
Subject: Re: hoeveelheid vaccinatie uit 1 flesje
Received: Thur 1/14/2021 9:56:56 PM

Dag [redacted]

Dank voor je reactie

@ [redacted] ik bel je morgen wel even..

groet [redacted]

From: [redacted] [redacted] [redacted] <[redacted]@igj.nl>
Sent: Thursday, 14 January 2021 21:28:36
To: [redacted] [redacted]
Cc: [redacted] [redacted]
Subject: RE: hoeveelheid vaccinatie uit 1 flesje

Dag [redacted]

Ik heb nagevraagd of een brief wordt opgesteld.
 Reactie/standpunt IGJ is: "We stellen geen brief op.
 IGJ heeft daarentegen NVZA (de ziekenhuis apothekers) geadviseerd om samen met CBG en RIVM te bekijken of de richtlijn moet worden aangepast.
 IGJ neemt niet de rol van inhoudelijk deskundige, die blijft bij de professionals. Rol IGJ is het toetsen van handelwijzen aan de richtlijn".

Mijn persoonlijke opmerking

Aan de andere kant: <https://www.igj.nl/actueel/nieuws/2021/01/13/inspectie-tevreden-over-covid-19-vaccinatie-bij-ziekenhuizen>
<https://twitter.com/NPORadio1/status/1349379530813747201>

<https://eenvandaag.avrotros.nl/item/deze-spuifabrikant-haalt-zelfs-7-doses-vaccin-uit-een-flacon-van-pfizer-maar-inspectie-wil-het-niet/>

Groet,

[redacted]

Van: [redacted] [redacted] <[redacted]@rivm.nl>
Verzonden: donderdag 14 januari 2021 16:37
Aan: [redacted] [redacted] [redacted] [redacted]@igj.nl
CC: [redacted] [redacted] <[redacted]@rivm.nl>
Onderwerp: hoeveelheid vaccinatie uit 1 flesje

Dag [redacted]

Zojuist werd er in de dagelijkse afsluiting op de LCI ok de vraag gesteld over 6 of 7 dosis uit 1 flesje
 Er wordt op zeer veel niveau tussen allerlei mensen over gesproken/advies gevraagd etc. Kortom veel "ruring"
 Is de brief van de inspectie dat het niet verantwoord is om meer dan 5 dosis uit een flesje te halen al openbaar?
 Wil en kun je die aan mij opsturen?
 Alvast dank
 Groet [redacted]

This message may contain information that is not intended for you. If you are not the addressee or if this message was sent to you by mistake, you are requested to inform the sender and delete the message. RIVM accepts no liability for damage of any kind resulting from the risks inherent in the electronic transmission of messages.

www.rivm.nl/en Committed to *health and sustainability*

“Als u ons gevoelige informatie wilt sturen, gebruik dan een veilige mail oplossing of ons beveiligd portaal (Rijkscloud). Zie voor meer informatie onze website <https://www.igj.nl/contact>”