

To: [REDACTED] 5.1.2e [REDACTED]@nfv.nl [REDACTED] 5.1.2e [REDACTED]@nfv.nl
Cc: [REDACTED] 5.1.2e [REDACTED] (5.1.2e [REDACTED]@minvws.nl) [REDACTED] 5.1.2e [REDACTED]@minvws.nl
From: Promo
Sent: Wed 4/8/2020 2:08:05 PM
Subject: Prijsopgave mondkapjes
Received: Wed 4/8/2020 2:08:10 PM

Geachte heer of mevrouw,

Ik kreeg te horen dat u betrouwbare partners zoekt die **SNEL** goedgekeurde mondbeschermingskapjes FFP 2 kunnen leveren.

Wij hebben de eerste proefzending binnengekregen en al aan het Catharina ziekenhuis in Eindhoven geleverd.

De producent van deze mondkapjes is gevestigd in de buurt van bij onze partner in China.

Mijn partner is een Nederlander die zijn bedrijf heeft in Hong Kong en China. En ik doe al meer dan 25 jaar zaken met hem.

Wij staan al in het supplier-systeem van de overheid omdat wij leveren oa:

Ministerie van Algemene zaken
Ministerie van Defensie
Ministerie VWS

Ik kan u de referenties aanleveren als u dat wil.

De hieronder afgebeelde en goedgekeurde mondkapjes kunnen wij rechtstreeks leveren vanuit China.



9051A
SELF PRIMING FILTER TYPE ANTI PARTICLE RESPIRATOR

9051A
 (Tying ear strap)

SELF PRIMING FILTER TYPE ANTI PARTICLE RESPIRATOR



50pcs

Applicable for...
 ...
 ...




Wear instructions

1. Adjust the top of the headband, ensuring it is not too tight or too loose. With the top of the headband on the back, adjust the headband to fit.
 2. Position the headband over the head, ensuring it is centered.
 3. Tie the headband over the head, ensuring it is centered.
 4. Adjust the fit of the headband, ensuring it is not too tight or too loose. The headband should be adjusted so that it is not too tight or too loose. The headband should be adjusted so that it is not too tight or too loose.
 5. Adjust the fit of the headband, ensuring it is not too tight or too loose. The headband should be adjusted so that it is not too tight or too loose.
- Do Not Use For:**
 ...
 ...
- Caution:**
 ...
 ...

Executive standard: GB2626-2006

9051A
 (Tying ear strap)

SELF PRIMING FILTER TYPE ANTI PARTICLE RESPIRATOR



50pcs

Applicable for...
 ...
 ...



Wear instructions

1. Adjust the top of the headband, ensuring it is not too tight or too loose. With the top of the headband on the back, adjust the headband to fit.
 2. Position the headband over the head, ensuring it is centered.
 3. Tie the headband over the head, ensuring it is centered.
 4. Adjust the fit of the headband, ensuring it is not too tight or too loose. The headband should be adjusted so that it is not too tight or too loose.
 5. Adjust the fit of the headband, ensuring it is not too tight or too loose. The headband should be adjusted so that it is not too tight or too loose.
- Do Not Use For:**
 ...
 ...
- Caution:**
 ...
 ...

Executive standard: GB2626-2006

Certificate of Compliance

No. 3J200304.FNW0591



Certificate's
Holder:

Certification
ECM Mark:



Product:
Model(s): Self Priming Filter Type Anti Particle Respirator
S008, S118, S128, 558, 668, 338, 9300, 9400, 9611,
9622, 9051A, 9052A, 1801A, 1802A, 9500, 9500V,
9051V, 9052V, 1801V, 1802V, 9801, 9802, 9801V,
9802V, 8200, 8300, 8300V, 8822V

Verification to: Standard:
EN 149:2001+A1:2009

related to CE Directive(s):
R 2016/425 (Personal Protective Equipment)

Remark: The product(s) has been verified on a voluntary basis. The product(s) satisfies the requirements of the Certification Mark of ECM, in reference to the above listed Standard(s). The above Compliance Mark can be affixed on the product(s) accordingly to the ECM regulation about its release and its use. The regulation can be found at www.entecerma.it. This Certificate of Compliance can be checked for validity at www.entecerma.it.

This verification doesn't imply assessment of the production of the product(s).

Additional information, clarification about the CE Marking:



We attest that a TCF for the CE Marking process is in place. Whereas the Manufacturer is Responsible to start the CE Marking Certification Procedure through an appointed Notified Body and the perform all the necessary activities, as required by the Directive and accepted by the Notified Body, before placing the CE Mark on the product(s).

Date of issue 04 March 2020

Expiry date 03 March 2025

Chief Manager

Maria Morina

Deputy Manager

Amanda Payne

Ente Certificazione Macchine Srl

Via Ca' Bella, 243 – Loc. Castello di Serravalle – 40053 Valsamoggia (BO) - ITALY
 ☎ +39 051 6705141 📠 +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it

Met een Italiaanse certificaat.

Wij kunnen snel leveren zoals u hieronder ziet.

5.1.1c stuks USD 5.1.1c FOB levertijd in 5 tot 10 dagen

5.1.1c stuks USD 5.1.1c FOB levertijd in 15 tot 20 dagen

Grotere afname in overleg.

De Dollar fluctueert ontzettend, vandaar \$.
 Ook de vrachtkosten zijn erg aan het schommelen. Varieert van [redacted] 5.1.1c de kilo.

Verpakking 67 x 29.5 x 28.5, volumegewicht 7.3 kg actueel GW is 4.7 kg

Ik wil graag u mondeling toelichten hoe wij werken.
 Mocht u nog vragen hebben dan hoor ik dat uiteraard graag.

Fijne dag nog verder.

Met creatieve groet,

[redacted] 5.1.2e



A joy to give

2B-Xclusive bv
 Ekkersrijt 4204
 5692 DE Son en Breugel
 The Netherlands

M. +31 6 [redacted] 5.1.2e
 T. +31 [redacted] 5.1.2e
 W. www.2B-Xclusive.nl

VAT [redacted] 5.1.2e

KvK 17191974

