

To: [redacted] 5.1.2e [redacted] 5.1.2e [redacted]@rivm.nl]

From: [redacted] 5.1.2e

Sent: Sun 3/14/2021 4:33:21 PM

Subject: Hi [redacted] 5.1.2e could you check if the sentence below (in green) is clear enough now? I will wait with sending the new emails until the replies from [redacted] 5.1.2e hopefully tomorrow.

Received: Sun 3/14/2021 4:33:22 PM

[commercial MTA EVAg RIGHT 6443.docx](#)

Dear Dr [redacted] 5.1.2e

Thank you for your EVAg order with us. Please find attached the MTA for your review and add the missing information in the lines that are highlighted in yellow.

Please note that due to the very high number of demands we are currently facing, we cannot accept any changes to the MTA. If you wish to negotiate the MTA, we will refer you to our legal department, but please note that the current processing period will be several months.

If you agree with the attached MTA, we can send you the final file for signature. After you receive the final file, please print and sign **2 copies** of the MTA and send them both via regular mail to (please note that the **last page requires 2 signatures in blue ink**):

National Institute for Public Health and the Environment (RIVM)

[redacted] 5.1.2e

A. van Leeuwenhoeklaan 9, 3721 MA Bilthoven
The Netherlands

In order to speed up the process, we can prepare the shipping in the meantime, if you send us a scanned version of the file.

Please note that **no parts** of the material that you ordered from RIVM can be integrated **into a (new) endproduct**. The material can only be used for evaluation/validation/or similar purposes.

If you have any questions, please let us know.

Best wishes,

[redacted] 5.1.2e

[redacted] 5.1.2e

[redacted] 5.1.2e

National Institute for Public Health and the Environment
A. van Leeuwenhoeklaan 9, 3721 MA Bilthoven, The Netherlands

Contact:

T: [redacted] 5.1.2e

M:

e-mail: [redacted] 5.1.2e [redacted]@rivm.nl

This message may contain information that is not intended for you. If you are not the addressee or if this message was sent to you by mistake, you are requested to inform the sender and delete the message. RIVM accepts no liability for damage of any kind resulting from the risks inherent in the electronic transmission of messages.
www.rivm.nl/en Committed to *health and sustainability*