

To: [5.1.5] [5.1.2e] [5.1.2e]@rivm.nl]
Cc: [5.1.2e] [5.1.2e] [5.1.2e] [5.1.2e]@rivm.nl]; [5.1.2e] [5.1.2e]@ssi.dk]; [5.1.2e] [5.1.2e]@ssi.dk]
From: [5.1.2e]
Sent: Fri 3/19/2021 4:51:07 PM
Subject: RE: EVAg order 6211
Received: Fri 3/19/2021 4:53:16 PM

Dear [5.1.2e]

Thank you very much for modifying the MTA to accommodate the most crucial points from our side.

I will contact [5.1.2e] [5.1.2e] for further MTA agreements.

I am well aware of the amount of work in connection with the distribution of isolates, and I would like to thank you again for sharing the material with us.

I will prepare all documents early next week and send you a digital copy by mail, as well as paper copies by regular mail.

Warmest regards and a good weekend to you.

[5.1.2e]

From: [5.1.5] <[5.1.2e]@rivm.nl>
Sent: Friday, March 19, 2021 16:36
To: [5.1.2e] <[5.1.2e]@ssi.dk>
Cc: [5.1.2e] [5.1.2e] <[5.1.2e]@rivm.nl>
Subject: RE: EVAg order 6211

Dear [5.1.2e]

Thank you for your reply.

Please note, due to the very high number of demands we are currently facing, we cannot accept any changes to the MTA. However, we evaluated your requests and do not find any obstacles. Therefore we adjusted the parts marked 'green' in attached MTA.

Besides this, we can agree bilaterally, outside the MTA, the use of the material for EQA panels within the country and for use for national capacity building. We refer to: "The RECIPIENT agrees to refer to the EVA-GLOBAL PARTNER any request for the MATERIAL from anyone other than those persons working under the RECIPIENT SCIENTIST's direct supervision."

We would appreciate to be acknowledged in any manuscript using the strain.

Please send an official request via email to [5.1.2e] [5.1.2e] (in cc), if you wish to make use of the agreement outside the MTA.

Best wishes,

[5.1.2e] [5.1.2e]

[5.1.2e]

[5.1.2e] [5.1.2e] [5.1.2e]

[5.1.2e] [5.1.2e]

[5.1.2e]

[5.1.2e]

[5.1.2e]

[5.1.2e] [5.1.2e]

dubbel

2 - 3

dubbel