

To: [5.1.2e] [5.1.2e]@minvws.nl  
 Cc: [5.1.2e] [5.1.2e]@minvws.nl; [5.1.2e] [5.1.2e]@minvws.nl; [5.1.2e]  
 ( [5.1.2e] [5.1.2e]@minvws.nl )  
 From: [5.1.2e] [5.1.2e]  
 Sent: Sun 2/28/2021 4:24:13 PM  
 Subject: [5.1.2e]  
 Received: Sun 2/28/2021 4:24:22 PM  
[0598\\_PPE\\_200885\\_R\\_JedXMedcareFFP2\\_20201126.SGS.pdf](#)  
[EC DECLARATION OF CONFORMITY SGS.pdf](#)  
[JEDX\\_FFP2-FFP3\\_Product Data Sheet SGS\\_2021\\_0581.pdf](#)  
[EU Conformity Guidelines -2015n18 Modules.pdf](#)

Beste [5.1.2e]

Vrijdag 19-2-21 heb ik een webex call gehad met [5.1.2e] Nedshield [5.1.2e] en zijn Nederlandse zakelijke partner [5.1.2e]. Na de ontvangst van de offerte van 23-2 heb ik afgelopen vrijdag 26-2 ook nog even gebeld om te zeggen dat we er nog me bezig zijn.

Ik vond [5.1.2e] coöperatief, gericht op een oplossing en betrouwbaar overkomen. Ook heb ik de indruk dat hij met JedX afgelopen tijd hard heeft gewerkt om te professionaliseren en de kwaliteit van de maskers op orde te krijgen. Bij drie nobo's was een CE certificaat aangevraagd. Sinds 5 januari 2021 is er een CE certificaat van de Finse nobo SGS. De Turkse kwam eerder (die vonden wij eerder niet goed). Ook de Engelse bij Inspect komt er binnenkort aan.

Op dinsdag 23-2 heeft [5.1.2e] een quotation gestuurd, een concept overeenkomst en diverse documenten waaronder de Ce certificaat van SGS in Finland. Zie de bijlagen en de mail van [5.1.2e] vind je hieronder.

Het aanbod komt kort gezegd op het volgende neer:

- 5,5 mio FFP2 JedX maskers te produceren na afgifte datum van het CE certificaat.
- DDP in Nederland (per vrachtauto uit Finland).
- Te leveren in delen: maart 528.000 stuks, april 1,5 mio, mei 1,5 mio en juni 1,8 mio.
- de prijs is afhankelijk van wel niet deel vooruitbetalen. Zonder vooruitbetalen is [5.1.1c]  
[5.1.1c]
- Maten: 75 % regulair en 25% small.
- Ook headclips te koop, aangeraden voor draagcomfort, voorstel [5.1.1c]

Volgens [5.1.2e] worden de FFP2 maskers van JedX geleverd aan 85 Finse ziekenhuizen en via zijn bedrijf aan de Nederlandse ziekenhuizen Catharina, Maxima en Elckerlieck. Ook de GGD heeft een testbestelling gedaan. Zie ook de nota's hieronder. Iedereen is positief, zegt hij. Eerder had hij ook al gezegd dat het Catharina ziekenhuis positief is en een mail doorgemaaild daarover van [5.1.2e]. Hij had toen aangegeven dat het ons vrij staat contact met haar op te nemen, [5.1.2e]

[5.1.2e] en er is een Nederlandse BV [5.1.2e] (BV) opgericht die in Nederland agent is voor JedX. Hij wil graag een commerciële oplossing. Daar heeft hij mi ook veel belang bij want hij wil zeggen dat hij met de Nederlandse overheid zaken doet.

Ik heb de verstrekte documenten aan [5.1.2e] van het LCH voorgelegd om te checken. Hij bevestigt dat dat deze in orde zijn. Gelet op de check door [5.1.2e] lijkt het [5.1.2e] en mij dat e.e.a. kwalitatief in orde is. Volgens de afspraken in Europa mogen we vertrouwen op het Finse certificaat.  
 Zie voor info over de fabrikant Jed X op [JedX Medcare](#) .

Wat betreft de prijs : ik heb aangegeven dat we niet willen vooruitbetalen, zijn prijs is [5.1.1c] Ik heb aangegeven dat dat aan de hoge kant is. Ter vergelijking Auping zit op [5.1.1c] (info van [5.1.2e] gekregen). Hierbij moeten we ons echter realiseren dat de kwesties niet vergelijkbaar zijn.

In geval van Nedshield gaat het om de oplossing van een geschil over een afspraak van 17-3-2020 om 5,5 mio maskers te leveren met een prijs van [5.1.1c] Totaal afgesproken bedrag was [5.1.1c] inclusief transportkosten (niets vooruitbetaald). Indien het tot een gerechtelijke procedure komt, bestaat in het slechtste geval het risico dat we de oorspronkelijke deal van [5.1.1c] moeten nakomen en/of een schadevergoeding moeten betalen, die volgens de advocaat van Nedshield [5.1.1c] zou bedragen.

Gelet op bovenstaande alsmede gelet op het feit dat er recent is besloten om de voorraad FFP2 maskers met 50 mio op te hogen,

zou het mooi zijn als we met Nedshield tot een oplossing kunnen komen. Dan slaan we twee vliegen in een klap: we krijgen zoals gewenst extra FFP 2 maskers én we hebben een geschil opgelost.

Graag horen 5.1.2e en ik of je het voorstel van Nedshield wilt aanvaarden en zo ja, wat doen we met de prijs? Desgewenst kunnen we een lager tarief voorstellen, 5.1.1c dan komen we misschien uit op 5.1.1c graag fiat voor max 5.1.2e 5.1.1c = totaal € 10.725.000)? En wel/geen headclips? Indien we dit zo gaan doen, zal ik ook het door Nedshield opgestelde contract aanpassen. Ik heb het doorgelezen en zie wel wat zaken die we beter anders kunnen doen (o.a. aansprakelijkheid, houden aan leverschema (en dus niet approximate) en vertrouwelijkheid). En voor ik het vergeet, kunnen jullie LCH opdracht geven e.e.a. uit te voeren als dit rond is?

Alvast dank.

Met vriendelijke groet

5.1.2e 5.1.2e  
5.1.2e  
Ministerie van Volksgezondheid, Welzijn en Sport 5.1.2e  
Parnassusplein 5 | 2511 VX 5.1.2e  
5.1.2e  
5.1.2e @minvws.nl

**Van:** 5.1.2e @nedshield.com <5.1.2e@nedshield.com>

**Verzonden:** dinsdag 23 februari 2021 14:11

**Aan:** 5.1.2e 5.1.2e 5.1.2e ) <5.1.2e@minvws.nl>

**CC:** 5.1.2e <5.1.2e@nedshield.com>

**Onderwerp:** RE: Nedshield FFP2

Hello 5.1.2e

Please find the information requested and the response on the commercial side.  
I am available at your convenience for a call if required to discuss any of the points below.

The prospect of closing this issue now (meaning now) has provided us the possibility to also deal out some of the costs and liabilities we have from the previous agreement. I have provided pricing 4 options where we are able to reduce the cost and what is available to us.

As this is an informal discussion – it is made without prejudice to any claim we may have, or take forward should we not reach agreement this week.

I have also attached all the documentation requested and I hope that the pricing schedule below is understandable and we have secured manufacturing discounts based on the amount of pre-payment that JedX Medicare receives.

In addition I have also attached a few Purchase Orders we have delivered on - where we can also validate the prices I have mentioned in our phone call: ie. 5.1.2f However on the quantity we have not charged this and have included some of the costs into the pricing.

I have not separated these out – as this is not appropriate at this stage should we not reach quick agreement as the above cost reductions are time dependent.

#### Pricing FFP2

delivered (anywhere in The Netherlands – all sales contracts closed this week)

Option	Price/pc	Deposit on Order (prepayment on total order)	Payment Terms	Bank Guarantee	SPA Contract
1	5.1.1c	0%	Payment 7 days after	Not required	Arvodi as previously amended by

			each delivery is made		Nedshield
2	5.1.1c	10%		Required for balance not paid as pre-payment/deposit	TBD – mix Arvodi as previously amended by Nedshield
3		30%			Standard Dutch Hospitals Sales contract (attached)
4		50%			

Explanation- can be discussed telephonically.

#### Summary

1. VWS and Nedshield agree to solve their differences immediately by:
  - a. VWS ordering 5.5 million of the new certified JedX FFP2 respirators delivered to VWS location/locations in the Netherlands. Delivery starting March.
  - b. Oberholzer/Nedshield accept the above price as INCLUDING all expenses/costs/claims etc. incurred as a result of the previous agreement.
  - c. Parties (in regard to the above) sign a mutual agreement to:
    - (1) nullify all agreements and claims
    - (2) keep confidential all dealings

#### Special Conditions VWS

1. JedX FFP2 respirators must be packaged in newly fabricated packaging with the additional NEW notified body number and CE marking: 0598.
2. JedX shall ONLY provide respirators which will bear the above markings (not the CE 2841) and which have been produced starting March 2021.

#### Special Conditions Nedshield

1. VWS shall place the order for the JedX Medicare FFP2 respirators with new 5.1.2e BV in den Haag (Nedshield PPE sales and distribution company) by end of this week.
2. Nedshield/Nedtechcorp BV may reference the fact that “VWS is a customer of 5.1.2e BV and has purchased JedX FFP2 respirators”.

#### Proposed Delivery Schedule

JEDX FFP2		REGULAR	SMALL
		75%	25%
<b>March</b>	528.000	396000	132.000
<b>April</b>	1.584.000	1188000	396.000
<b>May</b>	1.584.000	1188000	396.000
<b>June</b>	1.804.000	1353000	451.000

TTL	5.500.000	4125000	1.375.000
-----	-----------	---------	-----------

Note it will be possible to deliver earlier if required. However this is what JedX has provided given current order capacity and planning.

Deliveries would be planned per truck 528 000 per load and can be delivered to single or multiple locations.

## Requested Information

### 1. Documentation

Set of documentation for the new notified body : 0598 according to the EN 149.

**The full details of the assessment are given in Certification report No. 0598/PPE/200885/R. SGS Fimko Ltd is a Notified Body (0598) according to the Personal Protective Equipment Regulation (E**

### 2. Response – on Modules B-C

on the comment “missing Module B or C1” conformity assessments.

- The JedX Medicare FFP2 mask has been certified against the C2 (**conformity to type**) as well as D (**production quality assurance**). This can be verified with SGS.

The Module D requires more control over the factory production over a longer time.

Please see below texts taken from the JedX Medicare’s FFP2 SGS certification documentation (also attached).

4.1. Quality control by notified body	Agreement with SGS Fimko on the EU quality control system, module D for PPE category III products.	The agreement document is adequate. The first control shall be conducted within a year from the date of the certificate 0598/PPE/200885.
4.2. Quality control at the manufacture	Referenced to ISO 9001:2015 Certificate, Identity Number FIHSK11102944A, Expiry date: 30 June 2023; Tuotantoprosessi-yleiskuva, 11.06.2020 Laadunvalvontamenetelmät 2020-09	Adequate

- An initial inspection has already been conducted and JedX has an ongoing contract with the notified body itself for the ongoing control of the production processes for both FFP2 and FFP3 masks for multiple years.

<b>Additional information</b>	- This certificate shall be used in conjunction with conformity assessment procedure module C2 or D
<b>Validity</b>	This certificate is valid until 4 January 2026. Certificate Issue 1. Certified since 5 January 2021.

- The comparison of the modules has been explained in the Forum of Notified Bodies - Directive 2013/29/EU 2015n18 document (attached).

This Document gives guidance on the practical application of the following conformity assessment procedures as set out in the Annex II of the Directive 2013/29/EU:

Module	Application on categories
B (EU-type examination)	F1-F4, T1-T2, P1-P2
C2 (conformity to type)	F1-F4, T1-T2, P1-P2
D (production quality assurance)	F1-F4, T1-T2, P1-P2
E (product quality assurance)	F1-F4, T1-T2, P1-P2
H (full quality assurance)	F4 only

For details of the points controlled in D please see attached EU Conformity Guidelines document attached.

## OTHER NEW INFORMATION

### 3. Product Markings

- Please note that each FFP2 is individually packaged including:
  - o manufactured date
  - o expiry date – (5 years)
  - o individual lot number



- On each respirator the CE 0598 marking and EN 149:2001 + AS1:2009 is clearly printed.

### 4. JedX sizes

Two sizes are available Regular and Small. According to our current market experience in Netherlands, we note that circa 75% regular size and 25% small size are requested. There is not price differentiation. We propose the above ratio be supplied – other ratio also possible.

- ie.
- |         |                       |
|---------|-----------------------|
| REGULAR | 4 125 000 respirators |
| SMALL   | 1 375 000 respirators |


### 5. JedX head-clips

this is a new “accessory” which can be ordered separately in boxes of 1000 and at a cost of 5.1.1c each. It is used to

change the around the ear "ear-loops" attachment to a behind the head attachment. This improves the fit specifically for smaller faces and also aids persons with sensitive ears from chaffing after long time continuous wearing. We supply approximately 1 box (of 1000) per hospital as these can be also re-used and also on other brands/models which do not have this.

We propose that 2% of the total order (ie. 110 000) head clips are ordered in addition to the masks at cost of

5.1.1c



I hope that the above will provide you the information required for us to reach accord.  
Please contact me if there are any other open questions or queries.

I will also be forwarding you the standard sales agreement that we are using in The Netherlands as our proposed contract in a separate email.

Of course the agreement on the two factors – pricing and deposit amount should be set.

5.1.2e

BELOW ARE SOME OF THE POS ORDER CONFORMATIONS – TO PROVIDE YOU SOME IDEA. Others are also available but I need to get permission to use them first. These however I believe are sufficient to make the point.



**QUOTATION**

Quote Nr. : NSPPE\_20202801  
 Date : 28/09/2020  
 Valid until : 7/10/2020

**From:**

Company	NEDSHIELD SWITZERLAND AG
Address	Sales Office
Contact	
Mobile	
Email	

**To:**


Company	Catharina Ziekenhuis Eindhoven
Address	5623 EJ Eindhoven
Contact	
Dept.	
Tel/Mobile	
Email	

Dear XXXX

We are pleased to receive your inquiry for the JedX respirators and herewith provide you the following quote:

Quantity	Description	Standard Price	Quoted Price	Total (Euro)
32.000 pcs	JedX FFP2 Respirators EN149 & CE certified Product details and specifications as per Product JedX Product data sheet attached.  Delivery: within 5 days of days of Factory order confirmation			
<b>Terms &amp; Conditions</b>			Excl. Duties and Taxes	
1. Prices quoted DDP (Incoterms 2020) 2. Subject to definitive Sales and Purchase Agreement between JedX, Nedshield and Customer.				
<b>Total</b>				5.1.2e

Please sign and return your acceptance of the Price and we shall dispatch the sales documentation required. This quote is made subject to Nedshield General Terms and Conditions 2020(1).



5.1.2e

Gaarne ordernummer op factuur vermelden

**Inkooporder**

 Nedshield  
 2593 BM 'S-GRAVENHAGE  
 Nederland

**Afleveradres**

5.1.2e

**Faktuuraadres**

5.1.2e

Email : 5.1.2e

**Inkoopafdeling**

5.1.2e

5.1.2e

Uitzaknr. leverancier	Omschrijving	Intern art. nr.	Aantal	Eenheid	Eenheds prijs	Korting	BTW	Totaal excl. Uitszaks BTW leverdatum
	JedX maskers FFP2 EN 149	11309	32.000	ST				5.1.1c
<b>Totaal EUR</b>								5.1.1c


**Inkoopopdracht 15027926**

11 januari 2021

**Leverancier**

 JedX  
 5.1.2e

5.1.2e

Btw nummer: 2675599-7

**Afleveradres / uitvoeringsadres**

 GGD West-Brabant  
 Langendijk 75  
 4819 EV BREDA

**Contactpersoon**

5.1.2e

**Factuurgegevens**

GGD West-Brabant

5.1.2e

4816 CZ BREDA

5.1.2e | hetservicecentrum.nl

Crediteurnr.: 711525

Geachte relatie,

Hierbij geven wij opdracht tot levering van:

ArtikeInr.	Product	Aantal	Verpakking	
-	JEDX FFP2 mask men Leveren: 12-01-2021	100	stuks	5.1.1c
-	JEDX FFP2 mask women Leveren: 12-01-2021	150	stuks	
<b>Totaal excl. btw</b>				5.1.1c
<b>Totaal incl. btw</b>				

**Opmerking(en):**

As discussed with

Please send to

Please note our PO on your invoice.

Op al onze orders gelden de Algemene Inkoopvoorwaarden van VNG

Deze kunt u raadplegen op <http://www.ggd-westbrabant.nl>

Levering: 5.1.2e