To: 5.1 5.1.2e 5.1.2e 5.1.2e	
Ik weet niet wat ze te bieden heeft, maar lets see Ik neem jullie mee in de call 5.1.2e	
From: 5.1.2e Sent: Monday, November 2, 2020 2:07 PM To: 5.1.2e < 5.1.2e @hologic.com> Cc: 5.1.2e < 5.1.2e 5.1.2e Subject: Re: Hologic - Extra Test Supply to The Netherlands	
Super 5.1.2e please arrange and include 5.1.2e and her collegues she wants to include and from our side next to me also 5.1.2e and 5.1.2e	
Txs 5.1.2e	
Sent from my iPhone	
On 2 Nov 2020, at 09:32, 5.1.2e < 5.1.2e @hologic.com > wrote:	
CAUTION - This email originated from outside 5.1.2e Please forward suspicious emails as attachments to 5.1.2e 5.1.2e	
Good morning 5.1.2e	
Thank you for your email. We certainly appreciate your request and would like to set up some time to speak with you directly – would you be free later this afternoon after 5pm CET?	
At the outset, and to be 100% transparent, I advise that additional SARS-CoV2 assay volume is not currently available. However, we are working on other solutions that we believe could support the outcome that the Netherlands government is looking to achieve.	
Our intention for the call this afternoon, being for a few of my colleagues and myself to outline our suggestions to you. Of course, please advise if an alternative time may be more suitable.	
I look forward to hearing from you,	
Kind regards	
5.1.2e	
5.1.2e 5.1.2e	

Dubbel

2 - 2

Dubbel