




Underreporting

- Data sources:
 - OSIRIS for reports test positives (data 30 Oct)
 - NICE for hospital admissions (data 29 Oct)
 - Pienter Corona for seroprevalence
- Estimated total number of hospital admissions and test positives who had symptom onset between 1 Jul and 15 Oct
- Age distribution of reported test positives and hospital admissions between 1 Jul and 15 Oct


Total test positive cases and hospital admissions with symptom onset from July 1 to October 15



multiply with:
infected per
hospital
admission (from
serology)



divide by:
infected per age
group



Total test positive cases and hospital admissions with symptom onset from July 1 to October 15 (data 29 Oct)

| age_group | mean | median | 2.5% | 97.5% |
|-----------|--------|--------|--------|-------|
| [0,10) | 0.0832 | 0.0724 | 0.0264 | 0.201 |
| [10,20) | 0.319 | 0.312 | 0.214 | 0.469 |
| [20,30) | 0.323 | 0.321 | 0.246 | 0.413 |
| [30,40) | 0.454 | 0.449 | 0.318 | 0.626 |
| [40,50) | 0.415 | 0.408 | 0.290 | 0.562 |
| [50,60) | 0.469 | 0.463 | 0.351 | 0.622 |
| [60,70) | 0.310 | 0.306 | 0.226 | 0.415 |
| [70,80) | 0.244 | 0.240 | 0.174 | 0.336 |
| [80,Inf] | 0.286 | 0.268 | 0.137 | 0.535 |
| All | 0.341 | 0.341 | 0.302 | 0.387 |

Total test positive cases and hospital admissions with symptom onset from July 1 to October 15 (data 22 Oct): as comparison of same time window, but older data

| age_group | mean | median | 2.5% | 97.5% |
|-----------|--------|--------|--------|-------|
| [0,10) | 0.0872 | 0.0755 | 0.0279 | 0.212 |
| [10,20) | 0.300 | 0.294 | 0.202 | 0.425 |
| [20,30) | 0.324 | 0.321 | 0.244 | 0.413 |
| [30,40) | 0.462 | 0.456 | 0.317 | 0.635 |
| [40,50) | 0.411 | 0.408 | 0.281 | 0.565 |
| [50,60) | 0.472 | 0.467 | 0.347 | 0.620 |
| [60,70) | 0.317 | 0.315 | 0.228 | 0.425 |
| [70,80) | 0.255 | 0.253 | 0.175 | 0.355 |
| [80,Inf] | 0.297 | 0.274 | 0.142 | 0.564 |
| All | 0.341 | 0.341 | 0.301 | 0.385 |