

Material list

No.	Materials	Specification	Composition	Standards	Qualification	Suppliers	Class
1	Outside layer	Light blue, 22g/cm ² , Width 188mm	PP	Production license, ISO13485, Artificial cotton certificate, face mask cytotoxicity test, face mask irritation test, face mask skin sensitization test, face mask sterility test	Production license, ISO13485, Artificial cotton certificate, face mask cytotoxicity test, face mask irritation test, face mask skin sensitization test, face mask sterility test	CHTC JIAHA NONWOVEN CO. LTD.	Important
2	Meltblown	White 25g/m ² , Width 175 mm	PP	BFE 99%	Production license, BFE test report	Xiantao Yongli Medical Products Ltd	Important
3	Inner layer	White, 25g/cm ² , Width 188mm	PP	Production license, ISO13485, Artificial cotton certificate, face mask cytotoxicity test, face mask irritation test, face mask skin sensitization test, face mask sterility test	Production license, ISO13485, Artificial cotton certificate, face mask cytotoxicity test, face mask irritation test, face mask skin sensitization test, face mask sterility test	CHTC JIAHA NONWOVEN CO. LTD.	Important
4	Support Bar	2.6*0.8 mm	PE+Galvanized iron wire	Production license, test report	Production license, test report	Xiantao Yingsu Plastic Products Co. Ltd	Important
5	Elastic Band	White 0.3cm, 70D	PET	Elongation: 3.0; Width: 6mm; Weight: 2.75g/m; Thickness: 0.9-1.0mm; CD: 3.5±0.2	Production license, OEKO-TEX, face mask cytotoxicity test, face mask irritation test, face mask skin sensitization test	Hanchuan Jiangnan Co. Ltd.	Important
6	Polybag	18*10cm	Polyethylene	No scratches, oil, Clear transparent	Production license, ISO13485, Package certification	Suzhou Lianhe medical materials Co. Ltd	Important
7	Carton	52*38*30cm	Corrugate cardboard	Thickness: ≥6.1mm; Abrasion: ≥1378; Pressure: ≥7350; Weight: ≥700g/m ² ; Printing clear without damages or oil stain	Production license	Xiantao Longtao Cartons Factory	Important

Made By: Ziyun Zhao

No.: OP-09-F10