

Box	Position	Barcode	Participant ID	Volume (ml)	pseudo neut	enner ELIS <sub>v</sub>
1	A1	COV-01010819	0819	0.1	Sent	Tested
1	B3	COV-01010645	0645	0.1	Sent	Tested
1	B4	COV-01010846	0846	0.1	Sent	Tested
1	B7	COV-01010857	0857	0.1	Sent	Tested
1	C1	COV-01010890	0890	0.1	Sent	Tested
1	C8	COV-01011014	1014	0.1	Sent	Tested
1	C9	COV-01011016	1016	0.1	Sent	Tested
1	A4	COV-01010787	0787	0.1	Sent	Tested
1	A6	COV-01010828	0828	0.1	Sent	Tested
1	C6	COV-01010894	0894	0.1	Sent	Tested
1	D5	COV-01010928	0928	0.1	Sent	Tested
2	B10	COV-01010910	0910	0.1	Sent	Tested

RIVM	order(RIVM)	participant	COV19-S1		COV19-N	
			(AU/ml)	pos/neg	(AU/ml)	pos/neg
Sent	39	0819	7.23	pos	107.65	pos
Sent	42	0645	3.52	pos	172.83	pos
Sent	43	0846	32.95	pos	94.78	pos
Sent	51	0857	4.21	pos	167.80	pos
Sent	45	0890	16.68	pos	221.54	pos
Sent	47	1014	0.66	neg	2.65	neg
Sent	48	1016	0.34	neg	2.59	neg
Sent	40	0787	0.28	neg	3.53	neg
Sent	41	0828	0.23	neg	0.68	neg
Sent	46	0894	0.24	neg	7.70	neg
Sent	49	0928	0.17	neg	1.31	neg
Sent	50	0910	2.28	neg	7.23	neg

**Cut-off for S1: 2.37 AU/ml (specificity optimized)**

**Cut-off for N: 19.7 AU/ml (specificity optimized)**

no serological confirmation

Box	Position	Barcode	Participant	Day Post Hospitalisation	Original Volume (ML)	pseudo neut
1	C9	024PI5	024	5	0.5	
1	C2	024PI3	024	3	0.5	
1	B9	022PI5	022	5	0.500	
1	G4	041PI1	041	1	0.5	
1	G6	041PL3	041	3	0.5	
1	H5	041PI5	041	5	0.5	
1	G7	042PL1	042	1	0.5	
1	H3	042PI3	042	3	0.5	
1	I2	042PI5	042	5	0.5	
1	G9	043PI1	043	1	0.5	
1	H1	043PI3	043	3	0.5	
1	I3	043PI5	043	5	0.5	
1	D9	045PI1	045	1	0.5	
1	E7	045PI3	045	3	0.5	
1	G8	045PL5	045	5	0.5	
1	H9	058PI1	058	1	0.5	
1	I5	058PI3	058	3	0.5	
1	F9	044PI3	044	3	0.5	Sent
1	D8	046PI3	046	3	0.5	Sent
1	I6	062PI3	062	3	0.5	Sent
1	I4	060PI5	060	5	0.5	Sent
1	H8	057PI3	057	3	0.5	Sent
2	B3	058PI5	058	5	0.5	
2	G6	109PI1	109	1	0.5	
2	G8	109PI3	109	3	0.5	
2	H5	109PI5	109	5	0.5	
2	G4	118PI1	118	1	0.5	
2	H2	118PI3	118	3	0.5	
2	H8	118PI5	118	5	0.5	
2	A7	061PI3	061	3	0.5	Sent
2	C1	070PI5	070	5	0.5	Sent
2	C5	078PI3	078	3	0.5	Sent
2	B9	072PI1	072	1	0.5	Sent
3	B4	021PI28	021	28	0.250	
3	B5	022PI28	022	28	0.500	
3	B6	023PI28	023	28	0.500	
3	B7	024PI28	024	28	0.500	
3	B8	025PI28	025	28	0.750	

Jenner ELISA	RIVM	order(RIVM)	participant	day	COV19-S1 (AU/ml)	pos/neg	COV19-N (AU/ml)
	Sent	1	024	5	5.73	pos	411.83
	Sent	2	024	3	0.43	neg	53.39
	Sent	3	022	5	0.55	neg	0.74
	Sent	4	041	1	1.38	neg	15.56
	Sent	5	041	3	2.69	pos	52.10
	Sent	6	041	5	11.16	pos	414.05
	Sent	7	042	1	7.07	pos	37.27
	Sent	8	042	3	59.66	pos	307.95
	Sent	9	042	5	125.14	pos	651.22
	Sent	10	043	1	0.64	neg	118.99
	Sent	11	043	3	1.81	neg	2063.98
	Sent	12	043	5	14.84	pos	9850.10
	Sent	13	045	1	0.56	neg	5.20
	Sent	14	045	3	1.45	neg	8.91
	Sent	15	045	5	21.06	pos	61.52
	Sent	16	058	1	2.97	pos	1.05
	Sent	17	058	3	2.23	neg	1.07
	Sent	18	044	3	0.22	neg	1.07
	Sent	19	046	3	0.89	neg	0.45
	Sent	20	062	3	0.20	neg	0.63
	Sent	21	060	5	73.98	pos	1729.30
	Sent	22	057	3	5.86	pos	504.29
	Sent	23	058	5	3.16	pos	1.19
	Sent	24	109	1	3.38	pos	54.44
	Sent	25	109	3	13.75	pos	163.14
	Sent	26	109	5	105.96	pos	647.41
	Sent	27	118	1	0.17	neg	0.52
	Sent	28	118	3	0.16	neg	0.40
	Sent	29	118	5	0.16	neg	0.42
	Sent	30	061	3	0.62	neg	6.52
	Sent	31	070	5	465.51	pos	38125.24
	Sent	32	078	3	44.86	pos	1044.51
	Sent	33	072	1	0.35	neg	2.60
	Sent	34	C-021	28	12.09	pos	1144.29
	Sent	35	C-022	28	89.39	pos	153.05
	Sent	36	C-023	28	23.48	pos	106.68
	Sent	37	C-024	28	5.41	pos	227.59
	Sent	38	025	28	128.52	pos	1989.57

Cut-off for S1: 2.37 AU/ml (specificity optimized)

Cut-off for N: 19.7 AU/ml (specificity optimized)

no serological confirmation

samples from neighbouring lab

pos/neg

- pos
- pos
- neg
- neg
- pos
- pos
- pos
- pos
- pos
- pos
- pos
- pos
- neg
- neg
- pos
- neg
- neg
- neg
- neg
- neg
- pos
- pos
- neg
- pos
- pos
- neg
- pos
- pos
- pos
- pos
- pos
- pos
- pos

