

Provide evidence that another EU member state has already granted an exemption for use of the rapid antigen test as a self-test.

So far, our company has applied for self-test in Austria and Germany of European Union. The specific information is as follows:

1. Official website of Austria

We have been included in the name list published on the website below: https://www.basg.gv.at/fuer-unternehmen/medizinprodukte/covid-19.

Here is the screenshot from the documents published.

Shenzhen <mark>Dymind</mark> Biotechnology Co., Ltd.	10th Floor, Building B, High- tech Park, Guangqiao Road, Tianilao Community, Yutang Street, Guangming District, Shenzhen S18107, P. R. China	SARS-CoV-2 Antigen Test Kit (Colloidal Gold)	Shenzhen Dymind Biotechnology Co., Ltd. 10th Floor, Building B, Hightech Park, Guanggiao Road, Tianliao Community, Yutang Street, Guangming District, Shenzhen 518107, P. R. China	SUNGO Europe B.V. Olympisch Station 24, 1076 DE Amsterdam, Netherlands
---	--	---	--	---

2. Official website of Germany

We have submitted the application (Test-ID: AT260/21) to Bfarm for the professional test and which has been published on the website below:

https://www.bfarm.de/EN/MedicalDevices/AntigenTests/_node.html

Here is the screenshot from the documents published.

	manimittal	gen-	Tests :	zum direkte	en Erreg	ernacl	nweis des	Coronavi	rus SA	ARS-C	oV-2			() maren	our © Alexandra
Alle Date	penali Obernittung des H	Herstellers.	vebrisknis	ind ausschließlich die Arg	owe, nob al neck	ligen Gebrau	hsinformationen								
Weiters H	invelse zur vom ESAM ben	oligestelle	n Life sowe	zu den der Lietung und g	igfs auch Streichs	ng von der La	ite zugrundeliegenden i	friterien finden Sie au	d unserer Ale	basile zu Antig	intests aur S	ARS-COM	2		
	folgence Tabelle peigt die dem Link in der Spahe "D				suropäischen Be	reilmächtigte	in vergebenen Hendel	enamien. Eine Übers	icht der jewe	illigen devtsch	en Vertreibe	r und der	en gyfs, akweid	ahender B	inennung fürden
− یان + Jies In Falle e	er "Evaluerung PEF bilder d bedeutet, dass der Test ben v laciteturet, dass bisang ke mer negativen Evaluerung i	als mt por	skiver Eigeb eutender Tes PEI streicht d	nis durch das PBI evalue attgebinise vorliegen les BlAvtil den entspreche	nt wuxde.				anaton ng QQU (outroven on	2442-001-3	va 1996,496	neterit (* 99 (9	er er vivelige	
q- 1	traind	1.09	Attioner												E Zunjchowtown
 V V Nazi tymnt sucer 			- X Hersteller			EuropainsUter Bevoltmac.Migter				Secularitat		naitvital	Speatful		
est-D	Handetaname des Herstelle Europ- Beroliniachtigten		Evaluirung PEX	Name 1s.	Start	Land	Name	Sad	Land	Deutscheij() Verzeiber	Testort*		99%upes Vertrauens- interval		907ingen Vertisvemaintervalt
1260/21	DARG-Calv 2 Antigen Tect Ko (Contextul Giore)	r .	Ner	Shanghan Dynied Biotechnology Ca., Ltd	Shauften	cn	Surge Europe B V	Anitartan	NL	C Details	POC White Gento	16.35	90,15 - 00.27	67,55	93.68 - 99.33
152521	BURS Cau-2 Junigen Test K (Calculat Goal)	z	hair.	Sherizhan Dymend Biotechnology Cir., Ltd.	Otenzten	cni	Oungo Europe B.V	Anziectan	14.	60 Develo	noc lative Genet	96,53	91.40 - 99,50	98,37	94,25 - 99,09

3. Special approval proceeding in Germany

At the same time, we are in the process of special approval application. And the application Number is <u>5640-S-197/21</u>.